

#### **DATA SHEET**

# ARUBA CLEARPASS POLICY MANAGER

The most advanced Secure NAC platform available

Aruba's ClearPass Policy Manager, part of the Aruba 360 Secure Fabric, provides role- and device-based secure network access control for IoT, BYOD, corporate devices, as well as employees, contractors and guests across any multivendor wired, wireless and VPN infrastructure.

With a built-in context-based policy engine, RADIUS, TACACS+, non-RADIUS enforcement using OnConnect, device profiling, posture assessment, onboarding, and guest access options, ClearPass is unrivaled as a foundation for network security for organizations of any size.

For comprehensive integrated security coverage and response using firewalls, UEM and other existing solutions, ClearPass supports the Aruba 360 Security Exchange Program. This allows for automated threat detection and response workflows that integrate with third-party security vendors and IT systems previously requiring manual IT intervention.

In addition, ClearPass supports secure self-service capabilities, making it easier for end users trying to access the network. Users can securely configure their own devices for enterprise use or Internet access based on admin policy controls.

The result is detailed visibility of all wired and wireless devices connecting to the enterprise, increased control through simplified and automated authentication or authorization of devices, and faster, better incident analysis and response through the integration and orchestration with third-party security solutions. This is achieved with a comprehensive and scalable policy management platform that goes beyond traditional AAA solutions to deliver extensive enforcement capabilities for IT-owned and BYOD security requirements.

## THE CLEARPASS DIFFERENCE

ClearPass is the only policy platform that centrally enforces all aspects of enterprise-grade access security for any industry.



#### **KEY FEATURES**

- Role-based, unified network access enforcement across multi-vendor wireless, wired and VPN networks.
- Intuitive policy configuration templates and visibility troubleshooting tools.
- Supports multiple authentication/authorization sources (AD, LDAP, SQL).
- Self-service device onboarding with built-in certificate authority (CA) for BYOD.
- Guest access with extensive customization, branding and sponsor-based approvals.
- Integration with key UEM solutions for in-depth device assessments.
- Comprehensive integration with the Aruba 360 Security Exchange Program.
- Single sign-on (SSO) support works with Ping, Okta and other identity management tools to improve user experience to SAML 2.0-based applications.
- FIPS 140-2 and CC certified.

Granular policy enforcement is based on a user's role, device type and role, authentication method, UEM attributes, device health, traffic patterns, location, and time-of-day.

Deployment scalability supports tens of thousands of devices and authentications which surpasses the capabilities offered by legacy AAA solutions. Options exist for small to large organizations, from centralized to distributed environments.

#### ADVANCED POLICY MANAGEMENT

# Enforcement and visibility for wired and wireless

With ClearPass, organizations can deploy wired or wireless using standards-based 802.1X enforcement for secure authentication. ClearPass also supports MAC address authentication for IoT and headless devices that may lack support for 802.1X. For wired environments where RADIUS based authentication cannot be deployed, OnConnect, offers an alternative using SNMP based enforcement.

ClearPass Device Insight provides next generation profiling capabilities to ClearPass Policy Manager through a cloud based machine learning algorithm that also leverage deep packet inspection support.

Authentication methods can be used to concurrently support a variety of use-cases. It also includes support for multifactor authentication based on log-in times, posture checks, and other context such as new user, new device, and more.

Attributes from multiple identity stores such as Microsoft Active Directory, LDAP-compliant directory, ODBC-compliant SQL database, token servers and internal databases across domains can be used within a single policy for fine- grained control.

Contextual data from these profiled devices allows for IT to define what devices can access either the wired, VPN, or wireless network. Device profile changes are dynamically used to modify authorization privileges. For example, if a Windows laptop appears as a printer, ClearPass policies can automatically deny access.

# Secure device configuration of personal devices

ClearPass Onboard provides automated provisioning of any Windows, macOS, iOS, Android, Chromebook, and Ubuntu devices via a user driven self-guided portal. Network details, security settings and unique device identity certificates are automatically configured on authorized devices. Cloud identity services like Microsoft Azure Active Directory, Google G Suite and Okta can also be leveraged as identity providers with Onboard for secure certificate enrollment.

#### Device health checks

ClearPass OnGuard delivers endpoint posture assessments over wireless, wired and VPN connections. OnGuard's health-check capabilities ensure endpoints meet security and compliance policies before they connect to the network. OnGuard offers a variety of flexible deployment options including agentless, disolvable agents and agent-based configuration.

# Customizable visitor management

ClearPass Guest simplifies visitor workflow processes to enable employees, receptionists, and other non-IT staff to create temporary guest accounts for secure wireless and wired access. Highly customizable, mobile friendly portals provide easy-to-use login processes that include self-registration, sponsor approval, and bulk credential creation support any visitor needs – enterprise, retail, education, large public venue. Credentials can be delivered by SMS, email, printed badges, or input directly through cloud identity providers such as Facebook or Twitter.

Built in support for commercial oriented guest Wi-Fi hotspots with credit card billing and 3rd party advertising driven workflows make it simple to integrate into a wide variety of environments.

## **ARUBA 360 SECURITY EXCHANGE PROGRAM**

#### Integrate with security and workflow systems

Support for the Aruba 360 Security Exchange Program is an integrated component of ClearPass. Using features like REST-based APIs, RADIUS Accounting Proxy, and Syslog ingestion help facilitate workflows with UEM, SIEM, firewalls, help-desk systems and more. Context is shared between each component for end-to-end policy enforcement and visibility.

The ClearPass Ingress Event Engine provides 3rd party systems the means to share information in real-time using Syslog. This enables ClearPass to respond to changing threats for users and devices after they have authenticated to the network. By utilizing an open dictionary approach, anyone can write a parsing ruleset without the need for costly add-ons or locked in 3rd party ecosystems.

# ADVANCED REPORTING AND ALERTING

ClearPass Insight provides advanced reporting capabilities via customizable reports. Information about authentication trends, profiled devices, guest data, on-boarded devices, and endpoint health can also be viewed in an easy to use dashboard. Insight also has support for granular alerts and a watchlist to monitor specific authentication failures.

#### ARUBA CENTRAL NETCONDUCTOR

For networks managed by Aruba Central, Central NetConductor offers cloud-native security services that enable global policy management and network configuration with simple business-logic interface and workflows. Central NetConductor uses a distributed EVPN/VXLAN network overlay to facilitate inline policy enforcement across large, globally dispersed networks.

Networks that use Central NetConductor for policy orchestration can choose either Cloud Auth or ClearPass for authentication and role assignment. To learn more, read the Solution Overview.

#### **SPECIFICATIONS**

### **Appliances**

ClearPass is available as hardware or as a virtual appliance. Virtual appliances are supported on VMware vSphere Hypervisor (ESXi), Microsoft Hyper-V, CentOS KVM, Amazon EC2 & Microsoft Azure.

- VMware ESXi up to 7.0
- Microsoft Hyper-V 2016/2019 R2/2019
- KVM on CentOS 7.7. Ubuntu 18.04, and Ubuntu 20.04
- Amazon AWS (EC2)
- · Microsoft Azure

#### **Platform**

- Deployment templates for any network type, identity store and endpoint
- 802.1X, MAC authentication and captive portal support
- ClearPass OnConnect for SNMP-based enforcement on wired switches
- Advanced reporting, analytics and troubleshooting tools
- Interactive policy simulation and monitor mode utilities
- Multiple device registration portals Guest, Aruba AirGroup, BYOD, and un-managed devices
- Admin/operator access security via CAC and TLS certificates

# Framework and protocol support

- RADIUS, RADIUS Dynamic Authorization, TACACS+, web authentication, SAML v2.0
- · RadSec (TLS encoded RADIUS)
- · 802.1X-2010, 802.1X-2020
- TEAP (Tunneled EAP)
- EAP-FAST (EAP-MSCHAPv2, EAP-GTC, EAP-TLS)
- PEAP (EAP-MSCHAPv2, EAP-GTC, EAP-TLS, EAP-PEAP-Public, EAP-PWD)
- TTLS (EAP-MSCHAPv2, EAP-GTC, EAP-TLS, EAP-MD5, PAP, CHAP)
- EAP-TLS
- PAP, CHAP, MSCHAPv1, MSCHAPv2, EAP-MD5
- · OAuth2
- · WPA3
- · Windows machine authentication
- SMB v2/v3
- Online Certificate Status Protocol (OCSP)
- · SNMP generic MIB, SNMP private MIB
- Common Event Format (CEF), Log Event Extended Format (LEEF), and RFC5424

#### Supported identity stores

- Microsoft Active Directory
- RADIUS
- Any LDAP compliant directory
- MySQL, Microsoft SQL, PostGRES and Oracle 11g ODBC-compliant SQL server
- Token servers
- · Built-in SQL store, static hosts list
- Kerberos
- Microsoft Azure Active Directory
- · Google G Suite

### **RFC** standards

2246, 2248, 2407, 2408, 2409, 2548, 2759, 2865, 2866, 2869, 2882, 3079, 3579, 3580, 3748, 3779, 4017, 4137, 4301, 4302, 4303, 4308, 4346, 4514, 4518, 4809, 4849, 4851, 4945, 5176, 5216, 5246, 5280, 5281, 5282, 5424, 5755, 5759, 6614, 6818, 6960, 7030, 7170, 7296, 7321, 7468, 7748, 7815, 8031, 8032, 8247, 8446, 8709, 8894, 8908

#### Internet drafts

Protected EAP Versions 0 and 1, Microsoft CHAP extensions, dynamic provisioning using EAP-FAST.

# **Profiling methods**

- · Active: Nmap, WMI, SSH, SNMP
- Passive: MAC OUI, DHCP, TCP, Netflow v5/v10, IPFIX, sFLOW, 'SPAN' Port, HTTP User-Agent, IF-MAP
- · ClearPass Device Insight
- Integrated & 3rd Party: Onboard, OnGuard, ArubaOS, EMM/MDM, Cisco device sensor

## **IPv6 Support**

- RADIUS and RadSec
- · TACACS+
- Clustering (intra-node communication)
- · Web and CLI based management
- IPv6 addressed authentication & authorization servers
- IPv6 accounting proxy
- IPv6 addressed endpoint context servers
- Syslog, DNS, NTP, IPsec IPv6 targets
- IPv6 Virtual IP for high availability
- HTTP Proxy
- Ingress Event Engine Syslog sources
- · Onboard, OnGuard

#### Certifications

- FIPS 140-2 level 1 certificate 4473
- · Common Criteria NDcPPv2.2e
- NIAP Common Criteria NDcPPv2.1+AUTHSVR 1.0 VID 11324
- IPv6 Ready (including USGv6 r-1)

|                          | C1000 Appliance<br>(JZ508A)                              | C2020 Appliance (R1V83A)  | C3010 Appliance<br>(R1V82A)   |
|--------------------------|--|---|---|
| APPLIANCE SPECIFICATIONS |  |   |   |
| Hardware Model           | Unicom S-1200 R4   | HPE DL360 Gen10   | HPE DL360 Gen10   |
| CPU                      | (1) Atom 2.4GHz C2758 with Eight<br>Cores<br>(8 Threads) | (1) Xeon 2.3 GHz Gold 5118 with<br>12 Cores (12 Threads)                        | (1) Xeon 2.3GHz Gold 5118 with<br>Twelve Cores<br>(24 Threads)                  |
| Memory                   | 8 GB   | 16 GB   | 64 GB   |
| Hard drive storage       | (1) SATA (7.3K RPM)<br>1TB hard drive                    | (2) SATA (7.2K RPM) 1TB hard<br>drives, RAID-1 controller                       | (6) SAS (10K RPM)<br>600GB Hot-Plug hard drives<br>RAID-10 controller           |
| Out of Band Management   | N/A  | HPE Integrated Light-Out (iLO)<br>Advanced                                      | HPE Integrated Lights-Out (iLO)<br>Advanced                                     |
| Network Interfaces       | 4 x 1GbE   | 4 x 1GbE  | 4 x 1GbE  |
| Serial Port              | Yes (RJ-45)  | Yes (DB-9)  | Yes (DB-9)  |
| Performance & Scale      | Please refer to the ClearPass Scaling & Ordering Guide   |   |   |
| Minimum Software Version | ClearPass Policy Manager 6.6                             | ClearPass Policy Manager 6.11   | ClearPass Policy Manager 6.7  |
| FORM FACTOR              |  |   |   |
| Rackmount                | Included   | Included  | Included  |
| Dimensions (WxHxD)       | 17.2" x 1.7" x 11.3"                                     | 17.1 × 1.7 × 27.8"  | 17.1 × 1.7 × 27.8"  |
| Weight (Max Config)      | 8.5 Lbs  | Up to 36 Lbs  | Up to 36 Lbs  |
| POWER                    |  |   |   |
| Power supply             | 200 watts max  | HPE 500W Flex Slot Platinum Hot<br>Plug Power Supply                            | HPE 500W Flex Slot Platinum<br>Hot Plug Power Supply                            |
| Power Cord               | C13 - NEMA 5-15P US/CA 110V<br>10Amp Power Cord          | C13 - C14 WW 250V 10Amp<br>Jumper Cord  | C13 - C14 WW 250V 10Amp<br>Jumper Cord  |
| Power redundancy         | N/A  | Optional  | Optional  |
| AC input voltage         | 100/240 VAC auto-selecting                               |   |   |
| AC input frequency       | 50/60 Hz auto-selecting                                  |   |   |
| ENVIRONMENTAL            |  |   |   |
| Operating temperature    | 5° C to 35° C (41° F to<br>95° F)                        | 10° to 35°C (50° to<br>95°F)  | 10° C to 35° C (50° F to 95° F)   |
| Operating vibration      | 0.25 G at 5 Hz to 200 Hz<br>for 15 minutes               | Random vibration at 0.000075<br>G2/ Hz,<br>10Hz to 300Hz,<br>(0.15 G's nominal) | Random vibration at 0.000075 G²/<br>Hz,<br>10Hz to 300Hz,<br>(0.15 G's nominal) |
| Operating shock          | 1 shock pulse of 20 G<br>for up to 2.5 ms                | 2 G's   | 2 G's   |
| Operating altitude       | -16 m to 3,048 m<br>(-50 ft to 10,000 ft)                | 3,050 m (10,000 ft)   | 3,050 m (10,000 ft)   |

# **ORDERING GUIDANCE**

Please refer to the <u>ClearPass Scaling and Ordering Guide</u> for detailed information on appropriate sizing and required licensing to deploy ClearPass. More information can be found on the Aruba support website in the <u>ClearPass documentation</u> <u>section</u>.

| ORDERING INFORMATION                   |   |  |  |  |
|--|---|--|--|--|
| Part Number                            | Description   |  |  |  |
| Hardware Appliances                    |   |  |  |  |
| JZ508A                                 | Aruba ClearPass C1000 S-1200 R4 HW-Based Appliance                          |  |  |  |
| R1V83A                                 | Aruba ClearPass C2020 DL360 Gen10 HW-Based Appliance                        |  |  |  |
| R1V82A                                 | Aruba ClearPass C3010 DL360 Gen10 HW-Based Appliance                        |  |  |  |
| Virtual Appliances                     |   |  |  |  |
| JZ399AAE                               | Aruba ClearPass Cx000V VM-Based Appliance E-LTU                             |  |  |  |
| Power Supplies                         |   |  |  |  |
| R1T38A                                 | Aruba DL360 Gen10 500W Spare Power Supply (for use with R1V82A and R1V83A)  |  |  |  |
| Warranty Information                   |   |  |  |  |
| Hardware Warranty                      | 1 year parts*   |  |  |  |
| Software Warranty                      | 90 days*  |  |  |  |
| Perpetual Software License<br>Warranty | 90 days*  |  |  |  |
| Perpetual Licenses                     |   |  |  |  |
| JZ400AAE                               | Aruba ClearPass New Licensing Access 100 Concurrent Endpoints E-LTU         |  |  |  |
| JZ401AAE                               | Aruba ClearPass New Licensing Access 500 Concurrent Endpoints E-LTU         |  |  |  |
| JZ402AAE                               | Aruba ClearPass New Licensing Access 1K Concurrent Endpoints E-LTU          |  |  |  |
| JZ403AAE                               | Aruba ClearPass New Licensing Access 2500 Concurrent Endpoints E-LTU        |  |  |  |
| JZ404AAE                               | Aruba ClearPass New Licensing Access 5K Concurrent Endpoints E-LTU          |  |  |  |
| JZ405AAE                               | Aruba ClearPass New Licensing Access 10K Concurrent Endpoints E-LTU         |  |  |  |
| JZ406AAE                               | Aruba ClearPass New Licensing Access 25K Concurrent Endpoints E-LTU         |  |  |  |
| JZ407AAE                               | Aruba ClearPass New Licensing Access 50K Concurrent Endpoints E-LTU         |  |  |  |
| JZ408AAE                               | Aruba ClearPass New Licensing Access 100K Concurrent Endpoints E-LTU        |  |  |  |
| R1U35AAE                               | Aruba ClearPass New Licensing Entry 100 Concurrent Endpoints E-LTU          |  |  |  |
| R1U36AAE                               | Aruba ClearPass New Licensing Entry 500 Concurrent Endpoints E-LTU          |  |  |  |
| R1U37AAE                               | Aruba ClearPass New Licensing Entry 1K Concurrent Endpoints E-LTU           |  |  |  |
| R1U38AAE                               | Aruba ClearPass New Licensing Entry 2500 Concurrent Endpoints E-LTU         |  |  |  |
| R1U39AAE                               | Aruba ClearPass New Licensing Entry 5K Concurrent Endpoints E-LTU           |  |  |  |
| R1U40AAE                               | Aruba ClearPass New Licensing Entry 10K Concurrent Endpoints E-LTU          |  |  |  |
| R1U41AAE                               | Aruba ClearPass New Licensing Entry 25K Concurrent Endpoints E-LTU          |  |  |  |
| R1U42AAE                               | Aruba ClearPass New Licensing Entry 50K Concurrent Endpoints E-LTU          |  |  |  |
| R1U43AAE                               | Aruba ClearPass New Licensing Entry 100K Concurrent Endpoints E-LTU         |  |  |  |
| R1U44AAE                               | Aruba ClearPass New Licensing Access Upgrade 100 Concurrent Endpoints E-LTU |  |  |  |
| R1U45AAE                               | Aruba ClearPass New Licensing Access Upgrade 500 Concurrent Endpoints E-LTU |  |  |  |
| R1U46AAE                               | Aruba ClearPass New Licensing Access Upgrade 1K Concurrent Endpoints E-LTU  |  |  |  |

<sup>\*</sup> Extended with support contract

| Part Number                  | Description  |  |
|------------------------------|--|--|
| Perpetual Licenses           |  |  |
| R1U47AAE                     | Aruba ClearPass New Licensing Access Upgrade 2500 Concurrent Endpoints E-LTU |  |
| R1U48AAE                     | Aruba ClearPass New Licensing Access Upgrade 5K Concurrent Endpoints E-LTU   |  |
| R1U49AAE                     | Aruba ClearPass New Licensing Access Upgrade 10K Concurrent Endpoints E-LTU  |  |
| R1U50AAE                     | Aruba ClearPass New Licensing Access Upgrade 25K Concurrent Endpoints E-LTU  |  |
| R1U51AAE                     | Aruba ClearPass New Licensing Access Upgrade 50K Concurrent Endpoints E-LTU  |  |
| R1U52AAE                     | Aruba ClearPass New Licensing Access Upgrade 100K Concurrent Endpoints E-LTU |  |
| Subscription Licenses (1 Yea | ar)  |  |
| JZ409AAE                     | Aruba ClearPass New Licensing Access 100 Concurrent Endpoints 1yr E-STU      |  |
| JZ410AAE                     | Aruba ClearPass New Licensing Access 500 Concurrent Endpoints 1yr E-STU      |  |
| JZ411AAE                     | Aruba ClearPass New Licensing Access 1K Concurrent Endpoints 1yr E-STU       |  |
| JZ412AAE                     | Aruba ClearPass New Licensing Access 2500 Concurrent Endpoints 1yr E-STU     |  |
| JZ413AAE                     | Aruba ClearPass New Licensing Access 5K Concurrent Endpoints 1yr E-STU       |  |
| JZ414AAE                     | Aruba ClearPass New Licensing Access 10K Concurrent Endpoints 1yr E-STU      |  |
| JZ415AAE                     | Aruba ClearPass New Licensing Access 25K Concurrent Endpoints 1yr E-STU      |  |
| JZ416AAE                     | Aruba ClearPass New Licensing Access 50K Concurrent Endpoints 1yr E-STU      |  |
| JZ417AAE                     | Aruba ClearPass New Licensing Access 100K Concurrent Endpoints 1yr E-STU     |  |
| Subscription Licenses (3 Yea | ar)  |  |
| JZ418AAE                     | Aruba ClearPass New Licensing Access 100 Concurrent Endpoints 3yr E-STU      |  |
| JZ419AAE                     | Aruba ClearPass New Licensing Access 500 Concurrent Endpoints 3yr E-STU      |  |
| JZ420AAE                     | Aruba ClearPass New Licensing Access 1K Concurrent Endpoints 3yr E-STU       |  |
| JZ421AAE                     | Aruba ClearPass New Licensing Access 2500 Concurrent Endpoints 3yr E-STU     |  |
| JZ422AAE                     | Aruba ClearPass New Licensing Access 5K Concurrent Endpoints 3yr E-STU       |  |
| JZ423AAE                     | Aruba ClearPass New Licensing Access 10K Concurrent Endpoints 3yr E-STU      |  |
| JZ424AAE                     | Aruba ClearPass New Licensing Access 25K Concurrent Endpoints 3yr E-STU      |  |
| JZ425AAE                     | Aruba ClearPass New Licensing Access 50K Concurrent Endpoints 3yr E-STU      |  |
| JZ426AAE                     | Aruba ClearPass New Licensing Access 100K Concurrent Endpoints 3yr E-STU     |  |
| Subscription Licenses (5 Yea | ar)  |  |
| JZ427AAE                     | Aruba ClearPass New Licensing Access 100 Concurrent Endpoints 5yr E-STU      |  |
| JZ428AAE                     | Aruba ClearPass New Licensing Access 500 Concurrent Endpoints 5yr E-STU      |  |
| JZ429AAE                     | Aruba ClearPass New Licensing Access 1K Concurrent Endpoints 5yr E-STU       |  |
| JZ430AAE                     | Aruba ClearPass New Licensing Access 2500 Concurrent Endpoints 5yr E-STU     |  |
| JZ431AAE                     | Aruba ClearPass New Licensing Access 5K Concurrent Endpoints 5yr E-STU       |  |
| JZ432AAE                     | Aruba ClearPass New Licensing Access 10K Concurrent Endpoints 5yr E-STU      |  |
| JZ433AAE                     | Aruba ClearPass New Licensing Access 25K Concurrent Endpoints 5yr E-STU      |  |
| JZ434AAE                     | Aruba ClearPass New Licensing Access 50K Concurrent Endpoints 5yr E-STU      |  |
| JZ435AAE                     | Aruba ClearPass New Licensing Access 100K Concurrent Endpoints 5yr E-STU     |  |

<sup>\*</sup> Extended with support contract

| ORDERING INFORMATION  |   |  |  |
|---|---|--|--|
| Part Number   | Description                             |  |  |
| Customized Guest Portal   |   |  |  |
| H30SYA1   | Aruba ClearPass Guest Custom Skin E-LTU |  |  |
| Expandable application softw  | are                                     |  |  |
| ClearPass Onboard – device<br>configuration and certificate<br>management | Refer to ClearPass Onboard Datasheet    |  |  |
| ClearPass OnGuard – endpoint<br>device health                             | Refer to ClearPass OnGuard Datasheet    |  |  |

<sup>\*</sup> Extended with support contract



In the Cyber Catalyst<sup>™</sup> program, leading cyber insurers evaluate and identify solutions they consider effective in reducing cyber risk. Participating insurers include Allianz; AXIS; AXA XL, a division of AXA; Beazley; CFC; Munich Re; Sompo International; and Zurich North America. Microsoft is a technical advisor to the program.



© Copyright 2023 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

DS\_ArubaClearPassPolicyManager\_RVK\_060823 a00064815enw

Contact us at www.arubanetworks.com/contact